ACCEPTANCE LIMITS FOR CONTENT UNIFORMITY
SAMPLING PLAN 2
TARGET=100, LOWER BOUND = 95, CONFIDENCE LEVEL = 90
TABLE ENTRIES ARE LOWER(LL) AND UPPER(UL) LIMITS ON THE MEAN OF 60 ASSAYS-3 ASSAYS AT EACH OF 20 DIFFERENT LOCATIONS
SE IS THE POOLED WITHIN LOCATION STANDARD DEVIATION
STANDARD DEVIATIONS AND MEANS ARE EXPRESSED IN % CLAIM

STANDARD DEVIATION OF LOCATION MEANS

	0.1		0.2		0.3		0.4		0.5		0.6		0.7		0.8		0.9	
SE	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL
0.1	84.0	116.0	84.4	115.6	84.8	115.2	85.2	114.8	85.6	114.4	86.0	114.0	86.4	113.6	86.8	113.2	87.2	112.8
0.2	84.2	115.8	84.5	115.5	84.8	115.2	85.2	114.8	85.6	114.4	86.0	114.0	86.4	113.6	86.8	113.2	87.2	112.8
0.3	84.4	115.6	84.6	115.4	84.9	115.1	85.3	114.7	85.7	114.3	86.1	113.9	86.5	113.5	86.8	113.2	87.2	112.8
0.4	84.7	115.3	84.8	115.2	85.1	114.9	85.4	114.6	85.8	114.2	86.1	113.9	86.5	113.5	86.9	113.1	87.3	112.7
0.5	84.9	115.1	85.0	115.0	85.3	114.7	85.5	114.5	85.9	114.1	86.2	113.8	86.6	113.4	87.0	113.0	87.4	112.6
0.6	85.1	114.9	85.3	114.7	85.5	114.5	85.7	114.3	86.0	114.0	86.3	113.7	86.7	113.3	87.1	112.9	87.4	112.6
0.7	85.4	114.6	85.5	114.5	85.7	114.3	85.9	114.1	86.2	113.8	86.5	113.5	86.8	113.2	87.2	112.8	87.5	112.5
0.8	85.6	114.4	85.7	114.3	85.9	114.1	86.1	113.9	86.3	113.7	86.6	113.4	86.9	113.1	87.3	112.7	87.6	112.4
0.9	85.9	114.1	86.0	114.0	86.1	113.9	86.3	113.7	86.5	113.5	86.8	113.2	87.1	112.9	87.4	112.6	87.7	112.3
1.0	86.1	113.9	86.2	113.8	86.4	113.6	86.5	113.5	86.7	113.3	87.0	113.0	87.2	112.8	87.5	112.5	87.9	112.1
1.1	86.4	113.6	86.5	113.5	86.6	113.4	86.8	113.2	86.9	113.1	87.2	112.8	87.4	112.6	87.7	112.3	88.0	112.0
1.2	86.6	113.4	86.7	113.3	86.8	113.2	87.0	113.0	87.2	112.8	87.4	112.6	87.6	112.4	87.9	112.1	88.2	111.8
1.3	86.9	113.1	87.0	113.0	87.1	112.9	87.2	112.8	87.4	112.6	87.6	112.4	87.8	112.2	88.1	111.9	88.3	111.7
1.4	87.1	112.9	87.2	112.8	87.3	112.7	87.5	112.5	87.6	112.4	87.8	112.2	88.0	112.0	88.2	111.8	88.5	111.5
1.5	87.4	112.6	87.5	112.5	87.6	112.4	87.7	112.3	87.9	112.1	88.0	112.0	88.2	111.8	88.4	111.6	88.7	111.3
1.6	87.6	112.4	87.7	112.3	87.8	112.2	87.9	112.1	88.1	111.9	88.2	111.8	88.4	111.6	88.6	111.4	88.9	111.1
1.7	87.9	112.1	88.0	112.0	88.1	111.9	88.2	111.8	88.3	111.7	88.5	111.5	88.7	111.3	88.9	111.1	89.1	110.9
1.8	88.1	111.9	88.2	111.8	88.3	111.7	88.4	111.6	88.6	111.4	88.7	111.3	88.9	111.1	89.1	110.9	89.3	110.7
1.9	88.4	111.6	88.5	111.5	88.6	111.4	88.7	111.3	88.8	111.2	88.9	111.1	89.1	110.9	89.3	110.7	89.5	110.5
2.0	88.7	111.3	88.7	111.3	88.8	111.2	88.9	111.1	89.0	111.0	89.2	110.8	89.3	110.7	89.5	110.5	89.7	110.3
2.1	88.9	111.1	89.0	111.0	89.1	110.9	89.2	110.8	89.3	110.7	89.4	110.6	89.6	110.4	89.7	110.3	89.9	110.1
2.2	89.2	110.8	89.2	110.8	89.3	110.7	89.4	110.6	89.5	110.5	89.7	110.3	89.8	110.2	90.0	110.0	90.1	109.9
2.3	89.4	110.6	89.5	110.5	89.6	110.4	89.7	110.3	89.8	110.2	89.9	110.1	90.0	110.0	90.2	109.8	90.4	109.6
2.4	89.7	110.3	89.7	110.3	89.8	110.2	89.9	110.1	90.0	110.0	90.1	109.9	90.3	109.7	90.4	109.6	90.6	109.4
2.5	89.9	110.1	90.0	110.0	90.1	109.9	90.2	109.8	90.3	109.7	90.4	109.6	90.5	109.5	90.7	109.3	90.8	109.2
2.6	90.2	109.8	90.2	109.8	90.3	109.7	90.4	109.6	90.5	109.5	90.6	109.4	90.8	109.2	90.9	109.1	91.1	108.9
2.7	90.4	109.6	90.5	109.5	90.6	109.4	90.7	109.3	90.8	109.2	90.9	109.1	91.0	109.0	91.1	108.9	91.3	108.7
2.8	90.7	109.3	90.7	109.3	90.8	109.2	90.9	109.1	91.0	109.0	91.1	108.9	91.2	108.8	91.4	108.6	91.5	108.5
2.9	90.9	109.1	91.0	109.0	91.1	108.9	91.2	108.8	91.3	108.7	91.4	108.6	91.5	108.5	91.6	108.4	91.8	108.2
3.0	91.2	108.8	91.2	108.8	91.3	108.7	91.4	108.6	91.5	108.5	91.6	108.4	91.7	108.3	91.9	108.1	92.0	108.0
3.1	91.4	108.6	91.5	108.5	91.6	108.4	91.7	108.3	91.8	108.2	91.9	108.1	92.0	108.0	92.1	107.9	92.2	107.8
3.2	91.7	108.3	91.7	108.3	91.8	108.2	91.9	108.1	92.0	108.0	92.1	107.9	92.2	107.8	92.3	107.7	92.5	107.5
3.3	91.9	108.1	92.0	108.0	92.1	107.9	92.2	107.8	92.3	107.7	92.4	107.6	92.5	107.5	92.6	107.4	92.7	107.3
3.4	92.2	107.8	92.2	107.8	92.3	107.7	92.4	107.6	92.5	107.5	92.6	107.4	92.7	107.3	92.8	107.2	93.0	107.0
3.5	92.4	107.6	92.5	107.5	92.6	107.4	92.7	107.3	92.8	107.2	92.9	107.1	93.0	107.0	93.1	106.9	93.2	106.8
3.6	92.7	107.3	92.7	107.3	92.8	107.2	92.9	107.1	93.0	107.0	93.1	106.9	93.2	106.8	93.3	106.7	93.4	106.6
3.7	92.9	107.1	93.0	107.0	93.1	106.9	93.2	106.8	93.3	106.7	93.4	106.6	93.5	106.5	93.6	106.4	93.7	106.3
3.8	93.2	106.8	93.3	106.7	93.3	106.7	93.4	106.6	93.5	106.5	93.6	106.4	93.7	106.3	93.8	106.2	93.9	106.1
3.9	93.4	106.6	93.5	106.5	93.6	106.4	93.7	106.3	93.8	106.2	93.8	106.2	94.0	106.0	94.1	105.9	94.2	105.8
4.0	93.7	106.3	93.8	106.2	93.8	106.2	93.9	106.1	94.0	106.0	94.1	105.9	94.2	105.8	94.3	105.7	94.4	105.6
4.1	93.9	106.1	94.0	106.0	94.1	105.9	94.2	105.8	94.3	105.7	94.3	105.7	94.5	105.5	94.6	105.4	94.7	105.3
4.2	94.2	105.8	94.3	105.7	94.3	105.7	94.4	105.6	94.5	105.5	94.6	105.4	94.7	105.3	94.8	105.2	94.9	105.1
4.3	94.4	105.6	94.5	105.5	94.6	105.4	94.7	105.3	94.8	105.2	94.9	105.1	95.0	105.0	95.1	104.9	95.2	104.8
4.4	94.7	105.3	94.8	105.2	94.8	105.2	94.9	105.1	95.0	105.0	95.1	104.9	95.2	104.8	95.3	104.7	95.4	104.6
4.5	95.0	105.0	95.0	105.0	95.1	104.9	95.2	104.8	95.3	104.7	95.4	104.6	95.5	104.5	95.6	104.4	95.7	104.3

ACCEPTANCE LIMITS FOR CONTENT UNIFORMITY
SAMPLING PLAN 2
TARGET=100, LOWER BOUND = 95, CONFIDENCE LEVEL = 90
TABLE ENTRIES ARE LOWER(LL) AND UPPER(UL) LIMITS ON THE MEAN
OF 60 ASSAYS-3 ASSAYS AT EACH OF 20 DIFFERENT LOCATIONS
SE IS THE POOLED WITHIN LOCATION STANDARD DEVIATION
STANDARD DEVIATIONS AND MEANS ARE EXPRESSED IN % CLAIM

STANDARD DEVIATION OF LOCATION MEANS

	0.1		0.2		0.3		0.4		0.5		0.6		0.7		0.8		0.9	
SE	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL
4.6	95.2	104.8	95.3	104.7	95.4	104.6	95.4	104.6	95.5	104.5	95.6	104.4	95.7	104.3	95.8	104.2	95.9	104.1
4.7	95.5	104.5	95.5	104.5	95.6	104.4	95.7	104.3	95.8	104.2	95.9	104.1	96.0	104.0	96.1	103.9	96.2	103.8
4.8	95.7	104.3	95.8	104.2	95.9	104.1	95.9	104.1	96.0	104.0	96.1	103.9	96.2	103.8	96.3	103.7	96.4	103.6
4.9	96.0	104.0	96.0	104.0	96.1	103.9	96.2	103.8	96.3	103.7	96.4	103.6	96.5	103.5	96.6	103.4	96.7	103.3
5.0	96.2	103.8	96.3	103.7	96.4	103.6	96.4	103.6	96.5	103.5	96.6	103.4	96.7	103.3	96.8	103.2	96.9	103.1
5.1	96.5	103.5	96.6	103.4	96.6	103.4	96.7	103.3	96.8	103.2	96.9	103.1	97.0	103.0	97.1	102.9	97.2	102.8
5.2	96.7	103.3	96.8	103.2	96.9	103.1	97.0	103.0	97.0	103.0	97.1	102.9	97.2	102.8	97.3	102.7	97.4	102.6
5.3	97.0	103.0	97.1	102.9	97.1	102.9	97.2	102.8	97.3	102.7	97.4	102.6	97.5	102.5	97.6	102.4	97.7	102.3
5.4	97.3	102.7	97.3	102.7	97.4	102.6	97.5	102.5	97.6	102.4	97.6	102.4	97.7	102.3	97.8	102.2	97.9	102.1
5.5	97.5	102.5	97.6	102.4	97.7	102.3	97.7	102.3	97.8	102.2	97.9	102.1	98.0	102.0	98.1	101.9	98.2	101.8
5.6	97.8	102.2	97.8	102.2	97.9	102.1	98.0	102.0	98.1	101.9	98.2	101.8	98.3	101.7	98.4	101.6	98.5	101.5
5.7	98.1	101.9	98.1	101.9	98.2	101.8	98.3	101.7	98.4	101.6	98.4	101.6	98.5	101.5	98.6	101.4	98.7	101.3
5.8	98.4	101.6	98.4	101.6	98.5	101.5	98.6	101.4	98.7	101.3	98.7	101.3	98.8	101.2	98.9	101.1	99.1	100.9
5.9	98.7	101.3	98.8	101.2	98.8	101.2	98.9	101.1	99.0	101.0	99.1	100.9	99.2	100.8	99.3	100.7	99.4	100.6
6.0	99.1	100.9	99.2	100.8	99.3	100.7	99.4	100.6	99.5	100.5	99.6	100.4	99.7	100.3	99.9	100.1	.	.

ACCEPTANCE LIMITS FOR CONTENT UNIFORMITY
SAMPLING PLAN 2
TARGET=100, LOWER BOUND = 95, CONFIDENCE LEVEL = 90
TABLE ENTRIES ARE LOWER(LL) AND UPPER(UL) LIMITS ON THE MEAN
OF 60 ASSAYS-3 ASSAYS AT EACH OF 20 DIFFERENT LOCATIONS
SE IS THE POOLED WITHIN LOCATION STANDARD DEVIATION
STANDARD DEVIATIONS AND MEANS ARE EXPRESSED IN % CLAIM

STANDARD DEVIATION OF LOCATION MEANS

	1.0		1.1		1.2		1.3		1.4		1.5		1.6		1.7		1.8	
SE	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL
0.1	87.6	112.4	88.0	112.0	88.4	111.6	88.8	111.2	89.2	110.8	89.6	110.4	90.0	110.0	90.4	109.6	90.8	109.2
0.2	87.6	112.4	88.0	112.0	88.4	111.6	88.8	111.2	89.2	110.8	89.6	110.4	90.0	110.0	90.4	109.6	90.8	109.2
0.3	87.6	112.4	88.0	112.0	88.4	111.6	88.8	111.2	89.2	110.8	89.6	110.4	90.0	110.0	90.4	109.6	90.8	109.2
0.4	87.7	112.3	88.1	111.9	88.5	111.5	88.9	111.1	89.3	110.7	89.7	110.3	90.1	109.9	90.5	109.5	90.9	109.1
0.5	87.7	112.3	88.1	111.9	88.5	111.5	88.9	111.1	89.3	110.7	89.7	110.3	90.1	109.9	90.5	109.5	90.9	109.1
0.6	87.8	112.2	88.2	111.8	88.6	111.4	89.0	111.0	89.4	110.6	89.7	110.3	90.1	109.9	90.5	109.5	90.9	109.1
0.7	87.9	112.1	88.3	111.7	88.6	111.4	89.0	111.0	89.4	110.6	89.8	110.2	90.2	109.8	90.6	109.4	91.0	109.0
0.8	88.0	112.0	88.3	111.7	88.7	111.3	89.1	110.9	89.5	110.5	89.9	110.1	90.2	109.8	90.6	109.4	91.0	109.0
0.9	88.1	111.9	88.4	111.6	88.8	111.2	89.2	110.8	89.6	110.4	89.9	110.1	90.3	109.7	90.7	109.3	91.1	108.9
1.0	88.2	111.8	88.5	111.5	88.9	111.1	89.3	110.7	89.6	110.4	90.0	110.0	90.4	109.6	90.8	109.2	91.1	108.9
1.1	88.3	111.7	88.7	111.3	89.0	111.0	89.4	110.6	89.7	110.3	90.1	109.9	90.5	109.5	90.8	109.2	91.2	108.8
1.2	88.5	111.5	88.8	111.2	89.1	110.9	89.5	110.5	89.8	110.2	90.2	109.8	90.6	109.4	90.9	109.1	91.3	108.7
1.3	88.6	111.4	88.9	111.1	89.3	110.7	89.6	110.4	89.9	110.1	90.3	109.7	90.7	109.3	91.0	109.0	91.4	108.6
1.4	88.8	111.2	89.1	110.9	89.4	110.6	89.7	110.3	90.1	109.9	90.4	109.6	90.8	109.2	91.1	108.9	91.5	108.5
1.5	89.0	111.0	89.2	110.8	89.5	110.5	89.9	110.1	90.2	109.8	90.5	109.5	90.9	109.1	91.2	108.8	91.6	108.4
1.6	89.1	110.9	89.4	110.6	89.7	110.3	90.0	110.0	90.3	109.7	90.6	109.4	91.0	109.0	91.3	108.7	91.7	108.3
1.7	89.3	110.7	89.6	110.4	89.9	110.1	90.2	109.8	90.5	109.5	90.8	109.2	91.1	108.9	91.5	108.5	91.8	108.2
1.8	89.5	110.5	89.8	110.2	90.0	110.0	90.3	109.7	90.6	109.4	90.9	109.1	91.2	108.8	91.6	108.4	91.9	108.1
1.9	89.7	110.3	90.0	110.0	90.2	109.8	90.5	109.5	90.8	109.2	91.1	108.9	91.4	108.6	91.7	108.3	92.0	108.0
2.0	89.9	110.1	90.1	109.9	90.4	109.6	90.7	109.3	90.9	109.1	91.2	108.8	91.5	108.5	91.9	108.1	92.2	107.8
2.1	90.1	109.9	90.3	109.7	90.6	109.4	90.8	109.2	91.1	108.9	91.4	108.6	91.7	108.3	92.0	108.0	92.3	107.7
2.2	90.3	109.7	90.6	109.4	90.8	109.2	91.0	109.0	91.3	108.7	91.6	108.4	91.9	108.1	92.2	107.8	92.5	107.5
2.3	90.6	109.4	90.8	109.2	91.0	109.0	91.2	108.8	91.5	108.5	91.7	108.3	92.0	108.0	92.3	107.7	92.6	107.4
2.4	90.8	109.2	91.0	109.0	91.2	108.8	91.4	108.6	91.7	108.3	91.9	108.1	92.2	107.8	92.5	107.5	92.8	107.2
2.5	91.0	109.0	91.2	108.8	91.4	108.6	91.6	108.4	91.9	108.1	92.1	107.9	92.4	107.6	92.6	107.4	92.9	107.1
2.6	91.2	108.8	91.4	108.6	91.6	108.4	91.8	108.2	92.1	107.9	92.3	107.7	92.6	107.4	92.8	107.2	93.1	106.9
2.7	91.5	108.5	91.6	108.4	91.8	108.2	92.0	108.0	92.3	107.7	92.5	107.5	92.7	107.3	93.0	107.0	93.3	106.7
2.8	91.7	108.3	91.9	108.1	92.0	108.0	92.2	107.8	92.5	107.5	92.7	107.3	92.9	107.1	93.2	106.8	93.4	106.6
2.9	91.9	108.1	92.1	107.9	92.3	107.7	92.5	107.5	92.7	107.3	92.9	107.1	93.1	106.9	93.4	106.6	93.6	106.4
3.0	92.2	107.8	92.3	107.7	92.5	107.5	92.7	107.3	92.9	107.1	93.1	106.9	93.3	106.7	93.6	106.4	93.8	106.2
3.1	92.4	107.6	92.5	107.5	92.7	107.3	92.9	107.1	93.1	106.9	93.3	106.7	93.5	106.5	93.8	106.2	94.0	106.0
3.2	92.6	107.4	92.8	107.2	92.9	107.1	93.1	106.9	93.3	106.7	93.5	106.5	93.7	106.3	94.0	106.0	94.2	105.8
3.3	92.9	107.1	93.0	107.0	93.2	106.8	93.4	106.6	93.5	106.5	93.7	106.3	93.9	106.1	94.2	105.8	94.4	105.6
3.4	93.1	106.9	93.3	106.7	93.4	106.6	93.6	106.4	93.8	106.2	94.0	106.0	94.2	105.8	94.4	105.6	94.6	105.4
3.5	93.3	106.7	93.5	106.5	93.6	106.4	93.8	106.2	94.0	106.0	94.2	105.8	94.4	105.6	94.6	105.4	94.8	105.2
3.6	93.6	106.4	93.7	106.3	93.9	106.1	94.0	106.0	94.2	105.8	94.4	105.6	94.6	105.4	94.8	105.2	95.0	105.0
3.7	93.8	106.2	94.0	106.0	94.1	105.9	94.3	105.7	94.4	105.6	94.6	105.4	94.8	105.2	95.0	105.0	95.2	104.8
3.8	94.1	105.9	94.2	105.8	94.4	105.6	94.5	105.5	94.7	105.3	94.8	105.2	95.0	105.0	95.2	104.8	95.4	104.6
3.9	94.3	105.7	94.4	105.6	94.6	105.4	94.7	105.3	94.9	105.1	95.1	104.9	95.3	104.7	95.5	104.5	95.7	104.3
4.0	94.6	105.4	94.7	105.3	94.8	105.2	95.0	105.0	95.1	104.9	95.3	104.7	95.5	104.5	95.7	104.3	95.9	104.1
4.1	94.8	105.2	94.9	105.1	95.1	104.9	95.2	104.8	95.4	104.6	95.5	104.5	95.7	104.3	95.9	104.1	96.1	103.9
4.2	95.0	105.0	95.2	104.8	95.3	104.7	95.5	104.5	95.6	104.4	95.8	104.2	95.9	104.1	96.1	103.9	96.3	103.7
4.3	95.3	104.7	95.4	104.6	95.6	104.4	95.7	104.3	95.8	104.2	96.0	104.0	96.2	103.8	96.4	103.6	96.5	103.5
4.4	95.5	104.5	95.7	104.3	95.8	104.2	95.9	104.1	96.1	103.9	96.2	103.8	96.4	103.6	96.6	103.4	96.8	103.2
4.5	95.8	104.2	95.9	104.1	96.0	104.0	96.2	103.8	96.3	103.7	96.5	103.5	96.6	103.4	96.8	103.2	97.0	103.0

ACCEPTANCE LIMITS FOR CONTENT UNIFORMITY
SAMPLING PLAN 2
TARGET=100, LOWER BOUND = 95, CONFIDENCE LEVEL = 90
TABLE ENTRIES ARE LOWER(LL) AND UPPER(UL) LIMITS ON THE MEAN
OF 60 ASSAYS-3 ASSAYS AT EACH OF 20 DIFFERENT LOCATIONS
SE IS THE POOLED WITHIN LOCATION STANDARD DEVIATION
STANDARD DEVIATIONS AND MEANS ARE EXPRESSED IN % CLAIM

STANDARD DEVIATION OF LOCATION MEANS

	1.0		1.1		1.2		1.3		1.4		1.5		1.6		1.7		1.8	
SE	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL
4.6	96.0	104.0	96.2	103.8	96.3	103.7	96.4	103.6	96.6	103.4	96.7	103.3	96.9	103.1	97.0	103.0	97.2	102.8
4.7	96.3	103.7	96.4	103.6	96.5	103.5	96.7	103.3	96.8	103.2	97.0	103.0	97.1	102.9	97.3	102.7	97.5	102.5
4.8	96.5	103.5	96.6	103.4	96.8	103.2	96.9	103.1	97.0	103.0	97.2	102.8	97.3	102.7	97.5	102.5	97.7	102.3
4.9	96.8	103.2	96.9	103.1	97.0	103.0	97.2	102.8	97.3	102.7	97.4	102.6	97.6	102.4	97.7	102.3	97.9	102.1
5.0	97.0	103.0	97.1	102.9	97.3	102.7	97.4	102.6	97.5	102.5	97.7	102.3	97.8	102.2	98.0	102.0	98.2	101.8
5.1	97.3	102.7	97.4	102.6	97.5	102.5	97.6	102.4	97.8	102.2	97.9	102.1	98.1	101.9	98.2	101.8	98.4	101.6
5.2	97.5	102.5	97.6	102.4	97.8	102.2	97.9	102.1	98.0	102.0	98.2	101.8	98.3	101.7	98.5	101.5	98.6	101.4
5.3	97.8	102.2	97.9	102.1	98.0	102.0	98.1	101.9	98.3	101.7	98.4	101.6	98.6	101.4	98.7	101.3	98.9	101.1
5.4	98.0	102.0	98.2	101.8	98.3	101.7	98.4	101.6	98.5	101.5	98.7	101.3	98.8	101.2	99.0	101.0	99.1	100.9
5.5	98.3	101.7	98.4	101.6	98.5	101.5	98.7	101.3	98.8	101.2	98.9	101.1	99.1	100.9	99.2	100.8	99.4	100.6
5.6	98.6	101.4	98.7	101.3	98.8	101.2	98.9	101.1	99.1	100.9	99.2	100.8	99.4	100.6	99.6	100.4	99.7	100.3
5.7	98.9	101.1	99.0	101.0	99.1	100.9	99.2	100.8	99.4	100.6	99.6	100.4	99.7	100.3	99.9	100.1	.	.
5.8	99.2	100.8	99.3	100.7	99.4	100.6	99.6	100.4	99.8	100.2	100.0	100.0	.	.	.	.	.	.
5.9	99.6	100.4	99.7	100.3	99.9	100.1	.	.	.	.	.	.	.	.	.	.	.	.

ACCEPTANCE LIMITS FOR CONTENT UNIFORMITY
SAMPLING PLAN 2
TARGET=100, LOWER BOUND = 95, CONFIDENCE LEVEL = 90
TABLE ENTRIES ARE LOWER(LL) AND UPPER(UL) LIMITS ON THE MEAN OF 60 ASSAYS-3 ASSAYS AT EACH OF 20 DIFFERENT LOCATIONS
SE IS THE POOLED WITHIN LOCATION STANDARD DEVIATION
STANDARD DEVIATIONS AND MEANS ARE EXPRESSED IN % CLAIM

STANDARD DEVIATION OF LOCATION MEANS

	1.9		2.0		2.1		2.2		2.3		2.4		2.5		2.6		2.7	
SE	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL
0.1	91.2	108.8	91.6	108.4	92.0	108.0	92.4	107.6	92.8	107.2	93.2	106.8	93.6	106.4	94.0	106.0	94.4	105.6
0.2	91.2	108.8	91.6	108.4	92.0	108.0	92.4	107.6	92.8	107.2	93.2	106.8	93.6	106.4	94.0	106.0	94.4	105.6
0.3	91.2	108.8	91.6	108.4	92.0	108.0	92.4	107.6	92.8	107.2	93.3	106.7	93.7	106.3	94.1	105.9	94.5	105.5
0.4	91.3	108.7	91.7	108.3	92.1	107.9	92.5	107.5	92.9	107.1	93.3	106.7	93.7	106.3	94.1	105.9	94.5	105.5
0.5	91.3	108.7	91.7	108.3	92.1	107.9	92.5	107.5	92.9	107.1	93.3	106.7	93.7	106.3	94.1	105.9	94.5	105.5
0.6	91.3	108.7	91.7	108.3	92.1	107.9	92.5	107.5	92.9	107.1	93.3	106.7	93.7	106.3	94.1	105.9	94.5	105.5
0.7	91.4	108.6	91.8	108.2	92.2	107.8	92.6	107.4	93.0	107.0	93.4	106.6	93.8	106.2	94.2	105.8	94.6	105.4
0.8	91.4	108.6	91.8	108.2	92.2	107.8	92.6	107.4	93.0	107.0	93.4	106.6	93.8	106.2	94.2	105.8	94.6	105.4
0.9	91.5	108.5	91.9	108.1	92.3	107.7	92.6	107.4	93.0	107.0	93.4	106.6	93.8	106.2	94.2	105.8	94.6	105.4
1.0	91.5	108.5	91.9	108.1	92.3	107.7	92.7	107.3	93.1	106.9	93.5	106.5	93.9	106.1	94.3	105.7	94.7	105.3
1.1	91.6	108.4	92.0	108.0	92.4	107.6	92.8	107.2	93.1	106.9	93.5	106.5	93.9	106.1	94.3	105.7	94.7	105.3
1.2	91.7	108.3	92.1	107.9	92.4	107.6	92.8	107.2	93.2	106.8	93.6	106.4	94.0	106.0	94.4	105.6	94.8	105.2
1.3	91.8	108.2	92.1	107.9	92.5	107.5	92.9	107.1	93.3	106.7	93.7	106.3	94.0	106.0	94.4	105.6	94.8	105.2
1.4	91.8	108.2	92.2	107.8	92.6	107.4	93.0	107.0	93.3	106.7	93.7	106.3	94.1	105.9	94.5	105.5	94.9	105.1
1.5	91.9	108.1	92.3	107.7	92.7	107.3	93.1	106.9	93.4	106.6	93.8	106.2	94.2	105.8	94.6	105.4	95.0	105.0
1.6	92.0	108.0	92.4	107.6	92.8	107.2	93.1	106.9	93.5	106.5	93.9	106.1	94.3	105.7	94.6	105.4	95.0	105.0
1.7	92.1	107.9	92.5	107.5	92.9	107.1	93.2	106.8	93.6	106.4	94.0	106.0	94.3	105.7	94.7	105.3	95.1	104.9
1.8	92.3	107.7	92.6	107.4	93.0	107.0	93.3	106.7	93.7	106.3	94.1	105.9	94.4	105.6	94.8	105.2	95.2	104.8
1.9	92.4	107.6	92.7	107.3	93.1	106.9	93.4	106.6	93.8	106.2	94.2	105.8	94.5	105.5	94.9	105.1	95.3	104.7
2.0	92.5	107.5	92.8	107.2	93.2	106.8	93.5	106.5	93.9	106.1	94.3	105.7	94.6	105.4	95.0	105.0	95.4	104.6
2.1	92.6	107.4	93.0	107.0	93.3	106.7	93.7	106.3	94.0	106.0	94.4	105.6	94.7	105.3	95.1	104.9	95.4	104.6
2.2	92.8	107.2	93.1	106.9	93.4	106.6	93.8	106.2	94.1	105.9	94.5	105.5	94.8	105.2	95.2	104.8	95.5	104.5
2.3	92.9	107.1	93.2	106.8	93.6	106.4	93.9	106.1	94.2	105.8	94.6	105.4	94.9	105.1	95.3	104.7	95.7	104.3
2.4	93.1	106.9	93.4	106.6	93.7	106.3	94.0	106.0	94.4	105.6	94.7	105.3	95.1	104.9	95.4	104.6	95.8	104.2
2.5	93.2	106.8	93.5	106.5	93.8	106.2	94.2	105.8	94.5	105.5	94.8	105.2	95.2	104.8	95.5	104.5	95.9	104.1
2.6	93.4	106.6	93.7	106.3	94.0	106.0	94.3	105.7	94.6	105.4	95.0	105.0	95.3	104.7	95.6	104.4	96.0	104.0
2.7	93.6	106.4	93.8	106.2	94.1	105.9	94.5	105.5	94.8	105.2	95.1	104.9	95.4	104.6	95.8	104.2	96.1	103.9
2.8	93.7	106.3	94.0	106.0	94.3	105.7	94.6	105.4	94.9	105.1	95.2	104.8	95.6	104.4	95.9	104.1	96.2	103.8
2.9	93.9	106.1	94.2	105.8	94.5	105.5	94.8	105.2	95.1	104.9	95.4	104.6	95.7	104.3	96.0	104.0	96.4	103.6
3.0	94.1	105.9	94.4	105.6	94.6	105.4	94.9	105.1	95.2	104.8	95.5	104.5	95.9	104.1	96.2	103.8	96.5	103.5
3.1	94.3	105.7	94.5	105.5	94.8	105.2	95.1	104.9	95.4	104.6	95.7	104.3	96.0	104.0	96.3	103.7	96.6	103.4
3.2	94.5	105.5	94.7	105.3	95.0	105.0	95.3	104.7	95.6	104.4	95.9	104.1	96.2	103.8	96.5	103.5	96.8	103.2
3.3	94.6	105.4	94.9	105.1	95.2	104.8	95.4	104.6	95.7	104.3	96.0	104.0	96.3	103.7	96.6	103.4	96.9	103.1
3.4	94.8	105.2	95.1	104.9	95.3	104.7	95.6	104.4	95.9	104.1	96.2	103.8	96.5	103.5	96.8	103.2	97.1	102.9
3.5	95.0	105.0	95.3	104.7	95.5	104.5	95.8	104.2	96.1	103.9	96.4	103.6	96.6	103.4	96.9	103.1	97.2	102.8
3.6	95.2	104.8	95.5	104.5	95.7	104.3	96.0	104.0	96.3	103.7	96.5	103.5	96.8	103.2	97.1	102.9	97.4	102.6
3.7	95.4	104.6	95.7	104.3	95.9	104.1	96.2	103.8	96.4	103.6	96.7	103.3	97.0	103.0	97.3	102.7	97.6	102.4
3.8	95.7	104.3	95.9	104.1	96.1	103.9	96.4	103.6	96.6	103.4	96.9	103.1	97.2	102.8	97.4	102.6	97.7	102.3
3.9	95.9	104.1	96.1	103.9	96.3	103.7	96.6	103.4	96.8	103.2	97.1	102.9	97.3	102.7	97.6	102.4	97.9	102.1
4.0	96.1	103.9	96.3	103.7	96.5	103.5	96.8	103.2	97.0	103.0	97.3	102.7	97.5	102.5	97.8	102.2	98.1	101.9
4.1	96.3	103.7	96.5	103.5	96.7	103.3	97.0	103.0	97.2	102.8	97.5	102.5	97.7	102.3	98.0	102.0	98.3	101.7
4.2	96.5	103.5	96.7	103.3	96.9	103.1	97.2	102.8	97.4	102.6	97.7	102.3	97.9	102.1	98.2	101.8	98.4	101.6
4.3	96.7	103.3	96.9	103.1	97.2	102.8	97.4	102.6	97.6	102.4	97.8	102.2	98.1	101.9	98.4	101.6	98.6	101.4
4.4	97.0	103.0	97.2	102.8	97.4	102.6	97.6	102.4	97.8	102.2	98.0	102.0	98.3	101.7	98.5	101.5	98.8	101.2
4.5	97.2	102.8	97.4	102.6	97.6	102.4	97.8	102.2	98.0	102.0	98.3	101.7	98.5	101.5	98.7	101.3	99.0	101.0

ACCEPTANCE LIMITS FOR CONTENT UNIFORMITY
SAMPLING PLAN 2
TARGET=100, LOWER BOUND = 95, CONFIDENCE LEVEL = 90
TABLE ENTRIES ARE LOWER(LL) AND UPPER(UL) LIMITS ON THE MEAN
OF 60 ASSAYS-3 ASSAYS AT EACH OF 20 DIFFERENT LOCATIONS
SE IS THE POOLED WITHIN LOCATION STANDARD DEVIATION
STANDARD DEVIATIONS AND MEANS ARE EXPRESSED IN % CLAIM

STANDARD DEVIATION OF LOCATION MEANS

	1.9		2.0		2.1		2.2		2.3		2.4		2.5		2.6		2.7	
SE	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL
4.6	97.4	102.6	97.6	102.4	97.8	102.2	98.0	102.0	98.2	101.8	98.5	101.5	98.7	101.3	98.9	101.1	99.2	100.8
4.7	97.6	102.4	97.8	102.2	98.0	102.0	98.2	101.8	98.4	101.6	98.7	101.3	98.9	101.1	99.2	100.8	99.4	100.6
4.8	97.9	102.1	98.0	102.0	98.2	101.8	98.4	101.6	98.7	101.3	98.9	101.1	99.1	100.9	99.4	100.6	99.6	100.4
4.9	98.1	101.9	98.3	101.7	98.5	101.5	98.7	101.3	98.9	101.1	99.1	100.9	99.3	100.7	99.6	100.4	99.9	100.1
5.0	98.3	101.7	98.5	101.5	98.7	101.3	98.9	101.1	99.1	100.9	99.3	100.7	99.6	100.4	99.8	100.2	.	.
5.1	98.6	101.4	98.7	101.3	98.9	101.1	99.1	100.9	99.3	100.7	99.6	100.4	99.8	100.2	.	.	.	.
5.2	98.8	101.2	99.0	101.0	99.2	100.8	99.4	100.6	99.6	100.4	99.8	100.2	.	.	.	.	.	.
5.3	99.1	100.9	99.2	100.8	99.4	100.6	99.6	100.4	99.9	100.1	.	.	.	.	.	.	.	.
5.4	99.3	100.7	99.5	100.5	99.7	100.3	99.9	100.1	.	.	.	.	.	.	.	.	.	.
5.5	99.6	100.4	99.8	100.2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5.6	100.0	100.0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ACCEPTANCE LIMITS FOR CONTENT UNIFORMITY
SAMPLING PLAN 2
TARGET=100, LOWER BOUND = 95, CONFIDENCE LEVEL = 90
TABLE ENTRIES ARE LOWER(LL) AND UPPER(UL) LIMITS ON THE MEAN OF 60 ASSAYS-3 ASSAYS AT EACH OF 20 DIFFERENT LOCATIONS
SE IS THE POOLED WITHIN LOCATION STANDARD DEVIATION
STANDARD DEVIATIONS AND MEANS ARE EXPRESSED IN % CLAIM

STANDARD DEVIATION OF LOCATION MEANS

	2.8		2.9		3.0		3.1		3.2		3.3		3.4		3.5		3.6	
SE	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL
0.1	94.8	105.2	95.3	104.7	95.7	104.3	96.1	103.9	96.5	103.5	96.9	103.1	97.3	102.7	97.7	102.3	98.1	101.9
0.2	94.9	105.1	95.3	104.7	95.7	104.3	96.1	103.9	96.5	103.5	96.9	103.1	97.3	102.7	97.7	102.3	98.1	101.9
0.3	94.9	105.1	95.3	104.7	95.7	104.3	96.1	103.9	96.5	103.5	96.9	103.1	97.3	102.7	97.7	102.3	98.1	101.9
0.4	94.9	105.1	95.3	104.7	95.7	104.3	96.1	103.9	96.5	103.5	96.9	103.1	97.3	102.7	97.7	102.3	98.1	101.9
0.5	94.9	105.1	95.3	104.7	95.7	104.3	96.1	103.9	96.5	103.5	96.9	103.1	97.3	102.7	97.7	102.3	98.1	101.9
0.6	94.9	105.1	95.3	104.7	95.7	104.3	96.1	103.9	96.5	103.5	96.9	103.1	97.3	102.7	97.7	102.3	98.2	101.8
0.7	95.0	105.0	95.4	104.6	95.8	104.2	96.2	103.8	96.6	103.4	97.0	103.0	97.4	102.6	97.8	102.2	98.2	101.8
0.8	95.0	105.0	95.4	104.6	95.8	104.2	96.2	103.8	96.6	103.4	97.0	103.0	97.4	102.6	97.8	102.2	98.2	101.8
0.9	95.0	105.0	95.4	104.6	95.8	104.2	96.2	103.8	96.6	103.4	97.0	103.0	97.4	102.6	97.8	102.2	98.2	101.8
1.0	95.1	104.9	95.5	104.5	95.9	104.1	96.3	103.7	96.7	103.3	97.1	102.9	97.5	102.5	97.9	102.1	98.3	101.7
1.1	95.1	104.9	95.5	104.5	95.9	104.1	96.3	103.7	96.7	103.3	97.1	102.9	97.5	102.5	97.9	102.1	98.3	101.7
1.2	95.2	104.8	95.6	104.4	96.0	104.0	96.3	103.7	96.7	103.3	97.1	102.9	97.5	102.5	97.9	102.1	98.3	101.7
1.3	95.2	104.8	95.6	104.4	96.0	104.0	96.4	103.6	96.8	103.2	97.2	102.8	97.6	102.4	98.0	102.0	98.4	101.6
1.4	95.3	104.7	95.7	104.3	96.1	103.9	96.5	103.5	96.8	103.2	97.2	102.8	97.6	102.4	98.0	102.0	98.4	101.6
1.5	95.3	104.7	95.7	104.3	96.1	103.9	96.5	103.5	96.9	103.1	97.3	102.7	97.7	102.3	98.1	101.9	98.5	101.5
1.6	95.4	104.6	95.8	104.2	96.2	103.8	96.6	103.4	97.0	103.0	97.4	102.6	97.7	102.3	98.1	101.9	98.5	101.5
1.7	95.5	104.5	95.9	104.1	96.3	103.7	96.6	103.4	97.0	103.0	97.4	102.6	97.8	102.2	98.2	101.8	98.6	101.4
1.8	95.6	104.4	95.9	104.1	96.3	103.7	96.7	103.3	97.1	102.9	97.5	102.5	97.9	102.1	98.3	101.7	98.7	101.3
1.9	95.6	104.4	96.0	104.0	96.4	103.6	96.8	103.2	97.2	102.8	97.6	102.4	97.9	102.1	98.3	101.7	98.7	101.3
2.0	95.7	104.3	96.1	103.9	96.5	103.5	96.9	103.1	97.2	102.8	97.6	102.4	98.0	102.0	98.4	101.6	98.8	101.2
2.1	95.8	104.2	96.2	103.8	96.6	103.4	96.9	103.1	97.3	102.7	97.7	102.3	98.1	101.9	98.5	101.5	98.9	101.1
2.2	95.9	104.1	96.3	103.7	96.7	103.3	97.0	103.0	97.4	102.6	97.8	102.2	98.2	101.8	98.5	101.5	98.9	101.1
2.3	96.0	104.0	96.4	103.6	96.7	103.3	97.1	102.9	97.5	102.5	97.9	102.1	98.2	101.8	98.6	101.4	99.0	101.0
2.4	96.1	103.9	96.5	103.5	96.8	103.2	97.2	102.8	97.6	102.4	98.0	102.0	98.3	101.7	98.7	101.3	99.1	100.9
2.5	96.2	103.8	96.6	103.4	96.9	103.1	97.3	102.7	97.7	102.3	98.1	101.9	98.4	101.6	98.8	101.2	99.2	100.8
2.6	96.3	103.7	96.7	103.3	97.1	102.9	97.4	102.6	97.8	102.2	98.1	101.9	98.5	101.5	98.9	101.1	99.3	100.7
2.7	96.5	103.5	96.8	103.2	97.2	102.8	97.5	102.5	97.9	102.1	98.2	101.8	98.6	101.4	99.0	101.0	99.4	100.6
2.8	96.6	103.4	96.9	103.1	97.3	102.7	97.6	102.4	98.0	102.0	98.4	101.6	98.7	101.3	99.1	100.9	99.5	100.5
2.9	96.7	103.3	97.0	103.0	97.4	102.6	97.7	102.3	98.1	101.9	98.5	101.5	98.8	101.2	99.2	100.8	99.6	100.4
3.0	96.8	103.2	97.2	102.8	97.5	102.5	97.9	102.1	98.2	101.8	98.6	101.4	98.9	101.1	99.3	100.7	99.7	100.3
3.1	97.0	103.0	97.3	102.7	97.6	102.4	98.0	102.0	98.3	101.7	98.7	101.3	99.0	101.0	99.4	100.6	99.8	100.2
3.2	97.1	102.9	97.4	102.6	97.8	102.2	98.1	101.9	98.5	101.5	98.8	101.2	99.2	100.8	99.5	100.5	99.9	100.1
3.3	97.3	102.7	97.6	102.4	97.9	102.1	98.2	101.8	98.6	101.4	98.9	101.1	99.3	100.7	99.6	100.4	100.0	100.0
3.4	97.4	102.6	97.7	102.3	98.0	102.0	98.4	101.6	98.7	101.3	99.1	100.9	99.4	100.6	99.8	100.2	.	.
3.5	97.6	102.4	97.9	102.1	98.2	101.8	98.5	101.5	98.9	101.1	99.2	100.8	99.5	100.5	99.9	100.1	.	.
3.6	97.7	102.3	98.0	102.0	98.3	101.7	98.7	101.3	99.0	101.0	99.3	100.7	99.7	100.3	100.0	100.0	.	.
3.7	97.9	102.1	98.2	101.8	98.5	101.5	98.8	101.2	99.1	100.9	99.5	100.5	99.8	100.2	.	.	.	.
3.8	98.0	102.0	98.3	101.7	98.6	101.4	99.0	101.0	99.3	100.7	99.6	100.4	100.0	100.0	.	.	.	.
3.9	98.2	101.8	98.5	101.5	98.8	101.2	99.1	100.9	99.4	100.6	99.8	100.2	.	.	.	.	.	.
4.0	98.4	101.6	98.7	101.3	99.0	101.0	99.3	100.7	99.6	100.4	99.9	100.1	.	.	.	.	.	.
4.1	98.5	101.5	98.8	101.2	99.1	100.9	99.4	100.6	99.8	100.2	.	.	.	.	.	.	.	.
4.2	98.7	101.3	99.0	101.0	99.3	100.7	99.6	100.4	99.9	100.1	.	.	.	.	.	.	.	.
4.3	98.9	101.1	99.2	100.8	99.5	100.5	99.8	100.2	.	.	.	.	.	.	.	.	.	.
4.4	99.1	100.9	99.4	100.6	99.7	100.3	100.0	100.0	.	.	.	.	.	.	.	.	.	.
4.5	99.3	100.7	99.6	100.4	99.9	100.1	.	.	.	.	.	.	.	.	.	.	.	.

ACCEPTANCE LIMITS FOR CONTENT UNIFORMITY
SAMPLING PLAN 2
TARGET=100, LOWER BOUND = 95, CONFIDENCE LEVEL = 90
TABLE ENTRIES ARE LOWER(LL) AND UPPER(UL) LIMITS ON THE MEAN
OF 60 ASSAYS-3 ASSAYS AT EACH OF 20 DIFFERENT LOCATIONS
SE IS THE POOLED WITHIN LOCATION STANDARD DEVIATION
STANDARD DEVIATIONS AND MEANS ARE EXPRESSED IN % CLAIM

STANDARD DEVIATION OF LOCATION MEANS

	2.8		2.9		3.0		3.1		3.2		3.3		3.4		3.5		3.6	
SE	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL
4.6	99.5	100.5	99.8	100.2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
4.7	99.7	100.3	100.0	100.0	.	.	.	.	.	.	.	.	.	.	.	.	.	.
4.8	99.9	100.1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ACCEPTANCE LIMITS FOR CONTENT UNIFORMITY
SAMPLING PLAN 2
TARGET=100, LOWER BOUND = 95, CONFIDENCE LEVEL = 90
TABLE ENTRIES ARE LOWER(LL) AND UPPER(UL) LIMITS ON THE MEAN
OF 60 ASSAYS-3 ASSAYS AT EACH OF 20 DIFFERENT LOCATIONS
SE IS THE POOLED WITHIN LOCATION STANDARD DEVIATION
STANDARD DEVIATIONS AND MEANS ARE EXPRESSED IN % CLAIM

STANDARD DEVIATION OF LOCATION MEANS

	3.7		3.8		3.9		4.0		4.1		4.2		4.3		4.4		4.5	
SE	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL	LL	UL
0.1	98.5	101.5	98.9	101.1	99.3	100.7	99.7	100.3	.	.	.	.	.	.	.	.	.	.
0.2	98.5	101.5	98.9	101.1	99.3	100.7	99.7	100.3	.	.	.	.	.	.	.	.	.	.
0.3	98.5	101.5	98.9	101.1	99.3	100.7	99.7	100.3	.	.	.	.	.	.	.	.	.	.
0.4	98.5	101.5	98.9	101.1	99.3	100.7	99.8	100.2	.	.	.	.	.	.	.	.	.	.
0.5	98.5	101.5	99.0	101.0	99.4	100.6	99.8	100.2	.	.	.	.	.	.	.	.	.	.
0.6	98.6	101.4	99.0	101.0	99.4	100.6	99.8	100.2	.	.	.	.	.	.	.	.	.	.
0.7	98.6	101.4	99.0	101.0	99.4	100.6	99.8	100.2	.	.	.	.	.	.	.	.	.	.
0.8	98.6	101.4	99.0	101.0	99.4	100.6	99.8	100.2	.	.	.	.	.	.	.	.	.	.
0.9	98.6	101.4	99.0	101.0	99.5	100.5	99.9	100.1	.	.	.	.	.	.	.	.	.	.
1.0	98.7	101.3	99.1	100.9	99.5	100.5	99.9	100.1	.	.	.	.	.	.	.	.	.	.
1.1	98.7	101.3	99.1	100.9	99.5	100.5	99.9	100.1	.	.	.	.	.	.	.	.	.	.
1.2	98.7	101.3	99.1	100.9	99.6	100.4	100.0	100.0	.	.	.	.	.	.	.	.	.	.
1.3	98.8	101.2	99.2	100.8	99.6	100.4	100.0	100.0	.	.	.	.	.	.	.	.	.	.
1.4	98.8	101.2	99.2	100.8	99.6	100.4	100.0	100.0	.	.	.	.	.	.	.	.	.	.
1.5	98.9	101.1	99.3	100.7	99.7	100.3	.	.	.	.	.	.	.	.	.	.	.	.
1.6	98.9	101.1	99.3	100.7	99.7	100.3	.	.	.	.	.	.	.	.	.	.	.	.
1.7	99.0	101.0	99.4	100.6	99.8	100.2	.	.	.	.	.	.	.	.	.	.	.	.
1.8	99.0	101.0	99.4	100.6	99.8	100.2	.	.	.	.	.	.	.	.	.	.	.	.
1.9	99.1	100.9	99.5	100.5	99.9	100.1	.	.	.	.	.	.	.	.	.	.	.	.
2.0	99.2	100.8	99.6	100.4	100.0	100.0	.	.	.	.	.	.	.	.	.	.	.	.
2.1	99.2	100.8	99.6	100.4	100.0	100.0	.	.	.	.	.	.	.	.	.	.	.	.
2.2	99.3	100.7	99.7	100.3	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2.3	99.4	100.6	99.8	100.2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2.4	99.5	100.5	99.9	100.1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2.5	99.6	100.4	100.0	100.0	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2.6	99.7	100.3	100.0	100.0	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2.7	99.7	100.3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2.8	99.8	100.2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2.9	99.9	100.1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
3.0	100.0	100.0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.